

Product Sales Sheet

Performance Beast

Designed for heavy strength training, Performance Beast's 10.5mm system features a 8mm angry base layer that maximizes energy restitution. This dual durometer system is engineered to enhance durability in applications dominated by free weight training.



Markets


- Fitness
- Sports
- Student Rec

Applications

- Cardio
- Light Weights
- Moderate Weights
- Extreme Weights
- Strength Equipment

Benefits

- Durable
- Sustainable
- Ease of maintenance
- Slip-resistant



Product Options

Size:

Available as a standard in rolls. All custom options should be discussed with your local agent to determine availability, pricing, minimums, and lead times.

Color Options:

• See website for colors.





10.5mm (2.5mm+8mm) x 48" (1.2m)



Technical Details

Performance Criteria	Test Standard	Typical Results
Static Load Limit	ASTM F970	0.004" (@ 250 psi)
Coefficient of Friction	ASTM D2047	> 0.9
FloorScore	CA 01350	Certified
Abrasion Resistance	ASTM D3389	< 1g, 1,000 cycles
Pill Test	ASTM D2859	Pass
Standard Vertical Deformation	ASTM F2772	.5mm
Surface Effect Slip Resistance	ASTM F2772	Pass
Ball Rebound	ASTM F2772	100%
Force Reduction	ASTM F2772	10%
Impact Insulation Class*	ASM E492	53
Delta IIC*	ASTM E2179	22

*Tested on a 6" concrete slab with no ceiling.



Can a floor
do more?
Yes.