


Strength & Conditioning


Rubber & Turf

You may also be interested in these products:



BOUNCE 2 MOTIVATE 7MM
Group Exercise | Therapy/Rehab | Yoga | Spin

2mm heterogeneous sheet vinyl surface layer
factory fusion bonded to a 5mm VCR base layer.



HYDROGRIP MOTIVATE 7MM
Locker Rooms | Wet Areas

2mm slip-resistant, homogeneous sheet vinyl surface
layer factory fusion bonded to a 5mm VCR base layer.



NRG Factor

If the athlete matters, the surface they use matters. Ecore creates surfaces that capture the negative energy of impact and return positive energy to the athlete. It's all about generating the optimal amount of NRG (Force Reduction and Energy Restitution) by combining the ideal surface layer with the ideal base layer for the intended strength and conditioning activity.




Force Reduction:
How much impact energy a surface absorbs



Energy Restitution:
How much energy a surface returns to the athlete

	Force Reduction	Energy Restitution
Performance Motivate	12.6%	66.8%
Performance Rally	35.4%	53.7%
Performance Beast	11.4%	72.2%
Performance Beast Plus	17.4%	66.3%
Performance Monster	38.1%	53.5%
Performance Modzilla	54.2%	50.9%
Performance UltraTile	50.2%	47.9%
RageTurf Motivate	30.8%	46.6%
RageTurf Rally	47.1%	41.0%
RageTurf UltraTile	60.3%	36.9%
RageTurf dBTile	71.3%	39.8%
FlexTurf Motivate	34.2%	42.7%
FlexTurf Monster 10mm 15mm	53.0% 55.0%	32.3% 35.3%

Logos & Inlaid Lifting Stations (Performance)



① Logos and Design

Boost your school’s spirit with an inlaid logo or add inlaid functional training aids, with Ecore’s custom logos program! Choose from any of our standard colors or any of our solid EPDM colors. Visit ecoreathletic.com for more information.



② Inlaid Lifting Stations

Get the performance of a raised lifting platform without tripping hazards or transitions. Ecore’s Inlaid Lifting Stations can be created with any Ecore rolled or molded tile product and can be customized with your team or school logo. Choose any standard color or any of our solid EPDM colors for the platform and logo.



③ Wings / Impact Zones

This product allows you to cut to custom dimensions on site. Impact Zones provide a smooth transition with no need for field lamination. Impact Zones are only available in Black. Fusion-bonded Wings are also available in any standard Performance color.

Performance Colors

Ecore’s Performance surface layer is available in a myriad of colors. This vulcanized composition rubber (VCR) surface layer is durable and provides slip resistance in wet or dry conditions. Choose any of the below standard surface layer colors to pair with the appropriate base layer system for the intended strength and conditioning activity.


- Available in:
- Motivate

• Rally
- Beast

• Beast Plus
- Monster


• Modzilla

*Not available in Motivate




MEDIUM GRAY

ES504




CHARCOAL

ES505




DARK TAUPE

ES506




WARM GRAY

ES507




NAVY

ES508




GREEN

ES509




MAROON

ES510




RED

ES511




STEEL APPEAL 2

ES15A




MOCHA LATTE 2

ES43A




BLUE

ES500




DARK GRAY

ES502




BLUE JAYS

ES103




CARDINALS

ES104




RAIDERS

ES503




BUFF BLUE 20

ES45




GRIPPIN GRAY 20

ES46




RIPPIN RED 20

ES47



WHEY PROTEIN 2

ES97A




BASIC BLACK*

ES00

Performance Products





Built on Ecore’s patented itsTRU™ technology, Performance products feature a 2.5mm vulcanized composition rubber (VCR) surface layer that is factory fusion bonded to a VCR base layer. The various base layers allow you to choose the appropriate flooring and NRG for your specific application. Available in 4 foot wide rolls.



Performance Motivate 7.5mm



2.5mm + 5mm Motivate base layer.


NRG Factor		Force Reduction	12.6%
		Energy Restitution	66.8%



Performance Beast 10.5mm



2.5mm + 8mm Beast base layer.

NRG Factor		Force Reduction	11.4%
		Energy Restitution	72.2%





Performance Rally 14.5mm

2.5mm + 12mm Rally base layer. Also available in interlocking tiles. Transition free to Performance Beast Plus.

NRG Factor		Force Reduction	35.4%
		Energy Restitution	53.7%

Performance Beast Plus 14.5mm


2.5mm + 12mm Beast Plus base layer. Transition free to Performance Rally.

NRG Factor		Force Reduction	17.4%
		Energy Restitution	66.3%

Performance UltraTile Colors


Performance UltraTile is a rubber floor tile designed with a patented “ultra” high-density wear layer on a molded base. This 24-by-24-by-1-inch modular tile offers enhanced shock absorption against impact in moderate to extreme weight drop applications. Performance UltraTile is easy to install with Ecore’s Quad Blok installation system, can be installed as a floating floor, and can be customized to include your logo!






WILDCATS 3

EL100B




GATORS 3

EL107B




RAIDERS

EL503




BASIC BLACK

EL00




BUFF BLUE 20

EL45




GRIPPIN GRAY 20

EL46




RIPPIN RED 20

EL47




WHEY PROTEIN 2

EL97A




VIKINGS

EL101




LIONS

EL102




BLUE JAYS

EL103




CARDINALS

EL104




TIGERS

EL106




DARK GRAY

EL502




STEEL APPEAL 2

EL15A



MOCHA LATTE 2

EL43A



BLUE

EL500

Performance UltraTile can be installed outdoors if fully adhered to the substrate. Quad Bloks are required for outdoor installation. See Technical Manual for more information.



Recommended Systems by Application

	 Cardio	 Selectorized Strength	 Functional Training	 Indoor Tracks	 Free Weights	 Olympic Style Lifting
Performance Motivate	● ● ●	● ●	● ●	●	●	
Performance Rally	●	● ●	● ● ●	● ● ●	● ●	
Performance Beast	● ● ●	● ● ●	● ●		● ● ●	●
Performance Beast Plus	● ● ●	● ● ●	● ●		● ● ●	● ●
Performance Monster	● ● ●	● ● ●	● ● ●		● ● ●	● ● ●
Performance Modzilla	● ● ●	● ● ●	● ● ●		● ● ●	● ● ●
Performance UltraTile	● ●	● ●	●		● ● ●	● ● ●
RageTurf			● ● ●		● ●	
FlexTurf			● ●		● ●	


● Good ● ● Better ● ● ● Best

Performance Systems

Performance Monster 22.5mm

10.5mm Performance Beast surface layer that is field united to a 12mm VCR Monster ShockPad.

NRG Factor	⌵	Force Reduction	38.1%
	⌶	Energy Restitution	53.5%

System  Beast Roll   ShockPad Roll




Performance Modzilla 42.5mm

10.5mm Performance Beast surface layer that is field united to a 32mm VCR interlocking tile Modzilla ShockPad.

NRG Factor	⌵	Force Reduction	52.4%
	⌶	Energy Restitution	50.9%

System  Beast Roll   Interlocking Tile ShockPad (24" x 48")





For samples, visit ecoreathletic.com

Performance Molded Tile

Performance UltraTile 1"

24" x 24" VCR tile.

NRG Factor	⌵	Force Reduction	50.2%
	⌶	Energy Restitution	47.9%

System  Tile
 QuadBlock Installation System
Can be installed as a floating system



Turf Products & Systems

RageTurf Motivate, Rally, UltraTile, dBTile

12mm dense, textured polyethylene surface layer factory fusion bonded to a vulcanized composition rubber (VCR) base layer.


NRG Factor	⌵	Force Reduction	Motivate 30.8%	Rally 47.1%
	⌶	Energy Restitution	46.6%	41.0%

Surface Layer 12mm Turf

Base Layer Options
Motivate (5mm VCR factory fusion bonded)
Rally (12mm VCR factory fusion bonded)
UltraTile (1" VCR molded base)
dB-Tile (2.5" VCR molded base)

Formats
6' wide Rolls (Motivate, Rally)
23" x 46" Interlocking Tiles (Rally)
24" x 24" Molded Tiles (Ultra Tile 1", dBTile 2.5")

Color Options Green, Royal Blue, Black, Gray



RAGETURF RALLY

24MM

FlexTurf Motivate, Monster

15mm high pile, polyethylene turf surface layer that is either factory fusion bonded (Motivate) or field united (Monster) to a VCR ShockPad.

NRG Factor	⌵	Force Reduction	Motivate 34.2%	Monster 10mm 53.0%	15mm 55.0%
	⌶	Energy Restitution	42.7%	32.3%	35.3%


Surface Layer 15mm Turf

Base Layer — or —
ShockPad
Motivate (5mm VCR factory fusion bonded)
Monster (field united 10 or 15mm VCR ShockPad)

Formats
6' wide Rolls (Motivate)
15' wide rolls (Monster)

Color Options
Motivate: Green, Royal Blue, Black, Grey
Monster: Green, Royal Blue, Black, Grey, White, Yellow, Red

Customization Lines and Logos only available in the Monster system



FLEXTURF MOTIVATE

20MM